

F I G. 1




FIG. 2





FIG. 3



F I G. 4







FIG. 5



F I G. 6



F I G. 7



F I G. 8


[FIG. 8]

TERMINAL INFORMATION 30


The diagram shows a table with three rows. The first row has two columns: 'TERMINAL ID 31a' and 'SCRAMBLING CODE 32a'. The second row has two columns: 'TERMINAL ID 31b' and 'SCRAMBLING CODE 32b'. The third row has two columns: 'TERMINAL ID 31n' and 'SCRAMBLING CODE 32n'. A lightning bolt symbol is positioned above the third row.

TERMINAL ID 31a	SCRAMBLING CODE 32a
TERMINAL ID 31b	SCRAMBLING CODE 32b
TERMINAL ID 31n	SCRAMBLING CODE 32n

F I G. 9



F I G. 1 0



11/57

F I G. 11

BASE STATION INFORMATION 40



BASE STATION ID 41a	LATITUDE 42a		
	LONGITUDE 43a		
	SCRAMBLING CODE 44a_1	-----	SCRAMBLING CODE 44a_X
	SECTOR DIRECTION 45a_1	-----	SECTOR DIRECTION 45a_X
⋮	⋮		
BASE STATION ID 41n	LATITUDE 42n		
	LONGITUDE 43n		
	SCRAMBLING CODE 44n_1	-----	SCRAMBLING CODE 44n_X
	SECTOR DIRECTION 45n_1	-----	SECTOR DIRECTION 45n_X

12/57

F I G. 1 2






FIG. 13



PCT/JP2004/010972


14/57

F I G. 1 4



15/57

F I G. 15



F I G. 1 6







FIG. 17




F I G. 1 8




F I G. 1 9




F I G. 20




F I G. 2 1




F I G. 2 2



F I G. 2 3



F I G. 2 4



F I G. 25







FIG. 26




F I G. 27




F I G. 2 8



F I G. 2 9



F I G. 3 0



F I G. 3 1




FIG. 32






FIG. 33




F I G. 3 4




35/57


F I G. 3 5




F I G. 3 6




F I G. 37



F I G. 3 8



F I G. 3 9



F I G. 4 0




FIG. 41





FIG. 42



F I G. 4 3




FIG. 44





FIG. 45



F I G. 4 6





FIG. 47



F I G. 4 8




FIG. 4 9






FIG. 50



F I G. 5 1



F I G. 5 2






FIG. 53



F I G. 5 4



55/57

F I G. 5 5




FIG. 56





FIG. 57



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**